




















Serial	Product Photo	Model	Shape	Size(mm)	Molding	LF	HF	UHF	Working temperature	Single weight(g)	Packaging	Carton size(mm)
G Series		Ellipse	G01-45	Φ45	Once molding	√	√	√	-30℃~+220℃	9	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-50	Φ50	Once molding	√	√	√	-30℃~+220℃	9.8	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-55	Φ55	Once molding	√	√	√	-30℃~+220℃	11.5	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-60	Φ60	Once molding	√	√	√	-30℃~+220℃	10.6	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-65	Φ65	Once molding	√	√	√	-30℃~+220℃	11.4	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-70	Φ70	Once molding	√	√	√	-30℃~+220℃	12	50pcs/bag;1000pcs/carton	54.5*25*35
			G01-74	Φ74	Once molding	√	√	√	-30℃~+220℃	13	50pcs/bag;1000pcs/carton	54.5*25*35
G Series		Roundness	G02-45	Φ45	Once molding	√	√	√	-30℃~+220℃	11	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-50	Φ50	Once molding	√	√	√	-30℃~+220℃	11.3	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-55	Φ55	Once molding	√	√	√	-30℃~+220℃	11.85	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-62	Φ62	Once molding	√	√	√	-30℃~+220℃	12.7	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-65	Φ65	Once molding	√	√	√	-30℃~+220℃	13.55	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-70	Φ70	Once molding	√	√	√	-30℃~+220℃	14	50pcs/bag;1000pcs/carton	54.5*25*35
			G02-74	Φ74	Once molding	√	√	√	-30℃~+220℃	14.15	50pcs/bag;1000pcs/carton	54.5*25*35
G Series		Oblate	G03-60	Φ60	Once molding	√	√	√	-30℃~+220℃	11.85	50pcs/bag;1000pcs/carton	54.5*25*35
			G03-64	Φ64	Once molding	√	√	√	-30℃~+220℃	11.7	50pcs/bag;1000pcs/carton	54.5*25*35
			G03-67	Φ67	Once molding	√	√	√	-30℃~+220℃	11.9	50pcs/bag;1000pcs/carton	54.5*25*35
G Series		Semicircle	G04	Φ195	Once molding	√	√	√	-30℃~+220℃	12.2	50pcs/bag;1000pcs/carton	54.5*25*35
		Oblate	G05	Φ60	Once molding	√	√	√	-30℃~+220℃	8.85	50pcs/bag;1000pcs/carton	48.5*22.5*31
		Ellipse (dual frequency)	G06	Φ72	Secondary forming	LF+HF	LF+UHF	HF+UHF	-30℃~+220℃	14.2	50pcs/bag;1000pcs/carton	54.5*25*35
		Ellipse	G07	Φ77	Secondary forming	√	√	√	-30℃~+220℃	15	50pcs/bag;1000pcs/carton	48.5*22.5*31
		Clasp	G08	240*31*19	Once molding	√	√	√	-30℃~+220℃	16.05	50pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	G09	231.5*35*20	Once molding	√	√	√	-30℃~+220℃	17.05	50pcs/bag;1000pcs/carton	48.5*22.5*31
		Watch type	G10	235*40*20	Once molding	√	√	√	-30℃~+220℃	25.6	50pcs/bag;1000pcs/carton	54.5*25*35
		Watch type (dual frequency)	G11	242*33.5*16.5	Once molding	LF+HF	LF+UHF	HF+UHF	-30℃~+220℃	22	50pcs/bag;1000pcs/carton	54.5*25*35

Serial	Product Photo	Model	Shape	Size(mm)	Molding	LF	HF	UHF	Working temperature	Single weight(g)	Packaging	Carton size(mm)
G Series		Slap type	G12	280*32*28	Secondary forming	√	√	√	-30℃~+220℃	35	50pcs/bag;1000pcs/carton	54.5*25*35
		Oblate	G13	Φ62	Once molding	√	√	√	-30℃~+220℃	18	50pcs/bag;1000pcs/carton	54.5*25*35
PS Series		Ellipse	PS01	Φ65	Secondary forming	√	√	√	-30℃~+75℃	14.3	100pcs/bag;1500pcs/carton	48.5*22.5*31
GD Series		Watch type	GD01	113*32*16	Once molding	√	√	√	-30℃~+220℃	21.8	100pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	GD02	113*42*16	Once molding	√	√	√	-30℃~+220℃	25.5	50pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	GD02-1	113*42*16	Once molding	√	√	√	-30℃~+220℃	23.45	50pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	GD03	238*25*16	Once molding	√	√	√	-30℃~+220℃	23	100pcs/bag;1000pcs/carton	48.5*22.5*31
		Watch type	GD04	207*40*16	Once molding	√	√	√	-30℃~+220℃	21.35	50pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	GD05	205*32*16	Once molding	√	√	√	-30℃~+220℃	20.55	100pcs/bag;1000pcs/carton	54.5*25*35
PVC Series		Button Type	PVC01	180*30*14	Once molding	√	√	√	-30℃~+75℃	8.1	100pcs/bag;1000pcs/carton	48.5*22.5*31
		Button Type	PVC02	220*38*18	Once molding	√	√	√	-30℃~+75℃	12.75	100pcs/bag;1000pcs/carton	54.5*25*35
		Button Type	PVC03	240*38*13	Once molding	√	√	√	-30℃~+75℃	14.9	100pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	PVC04	225*33*15	Once molding	√	√	√	-30℃~+75℃	16.15	100pcs/bag;1000pcs/carton	54.5*25*35
PVC Series		Watch type	PVC05	250*33*15	Once molding	√	√	√	-30℃~+75℃	18.3	100pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	PVC06	212*33*15	Once molding	√	√	√	-30℃~+75℃	16.05	100pcs/bag;1000pcs/carton	54.5*25*35
		Watch type	PVC07	253*33*15	Once molding	√	√	√	-30℃~+75℃	17.95	100pcs/bag;1000pcs/carton	54.5*25*35
		Button Type	PVC08	240*37*22	Once molding	√	√	√	-30℃~+75℃	25.1	50pcs/bag;1000pcs/carton	54.5*25*35
N Series		Insert clasp	N01	350*26*16	Once molding	√	√	√	-30℃~+75℃	4.5	100pcs/bag;1000pcs/carton	48.5*22.5*31
KEY Series			key-01	43.7*30.5	Once molding	√	√	√	-30℃~+75℃	5.3	50pcs/bag;3000pcs/carton	54.5*25*35
			key-02	34.7*27.9	Once molding	√	√	√	-30℃~+75℃	4.35	100pcs/bag;5000pcs/carton	54.5*25*35
			key-03	39.9*30.9	Once molding	√	√	√	-30℃~+75℃	4.35	100pcs/bag;5000pcs/carton	54.5*25*35
			key-04	37*30.5	Once molding	√	√	√	-30℃~+75℃	5.35	100pcs/bag;5000pcs/carton	47.7*23.1*25

Serial	Product Photo	Model	Shape	Size(mm)	Molding	LF	HF	UHF	Working temperature	Single weight(g)	Packaging	Carton size(mm)
KCSerial			KC-01	60*53	Once molding	v	v	v	-30℃~+75℃	20.1	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-02	60*40	Once molding	v	v	v	-30℃~+75℃	17.7	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-03(boy)	53*50	Once molding	v	v	v	-30℃~+75℃	21.25	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-03(girl)	60*45	Once molding	v	v	v	-30℃~+75℃	19.4	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-04	64*47	Once molding	v	v	v	-30℃~+75℃	22.1	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-05	44*75	Once molding	v	v	v	-30℃~+75℃	21.75	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-06	46*53	Once molding	v	v	v	-30℃~+75℃	19.55	200pcs/bag;1000pcs/carton	54.5*25*35
			KC-07	62*44	Once molding	v	v	v	-30℃~+75℃	18.5	200pcs/bag;1000pcs/carton	54.5*25*35
K Serial			K01	47*42	Once molding	v	v	v	-30℃~+75℃	7.45	500pcs/bag;2000pcs/carton	54.5*25*35
			K02	47*42	Once molding	v	v	v	-30℃~+75℃	8.65	500pcs/bag;2000pcs/carton	54.5*25*35
			K03	35*47	Once molding	v	v	v	-30℃~+75℃	8.6	500pcs/bag;2000pcs/carton	54.5*25*35
			K04	38*35	Once molding	v	v	v	-30℃~+75℃	7.65	500pcs/bag;2000pcs/carton	54.5*25*35
			K05	55*40	Once molding	v	v	v	-30℃~+75℃	9.2	500pcs/bag;2000pcs/carton	54.5*25*35
			K06	54*53	Once molding	v	v	v	-30℃~+75℃	8.8	500pcs/bag;2000pcs/carton	54.5*25*35
Smart card Serial			C1 Thick ID card	85.5*54	Once molding	v	v	v	-30℃~+75℃	9.4	100pcs/bag;2500pcs/carton	48.5*22.5*31
			C2 Thick ID card	85.5*54	Once molding	v	v	v	-30℃~+75℃	9.5	100pcs/bag;2500pcs/carton	48.5*22.5*31
			PVC Card	85.5*54	Once molding	v	v	v	-30℃~+75℃	5.55	200pcs/bag;5000pcs/carton	48.5*22.5*31
L Serial			Laundry Tag	Φ23.5	Once molding	v	v	v	-30℃~+220℃	1.75	1000pcs/bag;10000pcs/carton	47.7*23.1*25